








PROJECT HIGHLIGHTS

























Now better than ever! **URBANIX** cutting-e upgraded with a wider-range piston, delivers, The 18 adjustable units — many of which are in strengthening and cardio workouts...























Now better than ever! **URBANIX** Blade hydraulic fitness with a wider-range resistance, delivers, The 18 adjustable units — many of which are in strengthening and cardio workouts...







AAN ENERGY GENERATING









PROJECT HIGHLIGHTS











Experience the ultimate challenge! **URBANIX** Functional Fitness Rig puts even the most advanced users to the test with features such as high rings, a climbing rope, cannonball pull-up bar, and much more.





NCTIONAL FITNESS









PROJECT HIGHLIGHTS



















CONCEPTS

ABOUT SECTION

GLOBAL REFERENCES - FIT FOR ALL



Fitness is just as important for people with disabilities, if not more important. But access to equipment and facilities is much more limited.

> - Jennifer French, 2012 US Paralympics silver medallist





In Singapore a 12-week fitness program for the elderly (BitPAL) helps 80% of participants report increased "strength, flexibility and balance" for 80% of the participants.

- Dr Ng Yee Sien









As an athlete who was always disappointed with the standard fitness products, the new hydraulic adjustable products are simply amazing and suit young people looking for a real workout.



- Tony Patel



The US Military Navy Brig in Virginia has been using 6 Urbanix outdoor gyms as their main training base for detainees.









Urbanix was a finalist in Australia's prestigious GOOD DESIGN AWARDS in 2016, being the first outdoor fitness product to acclaim that award.













UBX PRO SYSTEM



• Fitness certified or complied with EN16630 standard.

Certified to EN16630



- Adjustable double side resistance from 5-60kg
- Nearly linear load characteristics invariant to speed



- Adjustable resistance
- Wireless charge your phone when exercise
- Display with distance, speed, time and calories
- Water bottle holder



- Safer inner stopper avoids crash points or hard stop
- Reduce vandalism
- Avoid overdo by limiting the movement.



- Srength the exercise
- Soft brake when stop using



- Smoother and less jerking motion
- Strength the exercise
- Soft brake when stop



- Dual movement
- Up to 30kg resistance
- With safe stopper

BLADE INTRO



































UBX-222 Tai Chi Wheels



UBX-223 Abs Bench



UBX-211 Hydraulic Ab Toner



UBX-215 Hydraulic Leg Press



UBX-224 Chin up and Dips



UBX-227 Plyo Steps



UBX-217 Hydraulic Squat



UBX-218 Hydraulic Thigh Combo



UBX-231 Air Walker



UBX-232 Pendulum Twister











UBX-244 Hydraulic Triceps Press



UBX-246



Hydraulic Chest Press



UBX-286 Shoulder Wheels



UBX-287 Hand Cycle



UBX-247 Hydraulic Shoulder Press



UBX-248 Hydraulic High Pulley



UBX-288 Recumbent Bike



UBX-289 Spinning Bike



URBANI

UBX-255 Hydraulic Arm Curl



UBX-258 Hydraulic Twister



UBX-290 Hydraulic Rowing Trainer



UBX-291 Hydraulic Rower










ABOUT SECTION







UBX-298 Hydraulic Leg Extension



RECHARGE BIKE INTRO

Urbanix Cardio options offer internal self generating charge system, frictionless closed box which provide user controlled adjustable resistance, LED emitting and and wireless charge panel. Resistance and workout energy harvesting generate eco friendly park. users can safely charge mobile phone whilst exercising with a Urbanix Cardio recharge equipment.

- Featured Urbanix recharge system, with CE Certified power supply
- High-end large charging panel
- Light green LED emitting panels
- Adjustable resistance with 8 levels
- Weather proof sealed enclosure
- Frictionless performance
- Display with distance, speed, time and energy meters
















UBX-203C Recharge Elliptical Trainer





UBX-288C Recharge Recumbent Bike



UBX-289C Recharge Spinning Bike





UBX-303 Kickbox
















•

































































—








•



ABOUT SECTION























UBX-685C5







UBX-685C10



UBX-685C8



UBX-685C11


















MORDEN CROSSFIT




























UBX-685M2

UBX-685M1
















UBX-685M7











TEENAGER CHELLENGE COURSE







TPF-4327

TPF-9548-2





TPF-9548















TPF-4336













TPF-4337

TPF-4338

TPF-4358









TPF-4339

TPF-4351

TPF-4360

TPF-4361













The Urbanix warranty is more than just a word, it's a personal commitment that you will be satisfied with your purchase. In our many years of selling outdoor fitness equipment, rigorous testing and field use of our products has resulted in top quality machines with proven high performance. We are confident that you will get your money's worth. Guaranteed customer satisfaction, thicker steel, better paint, galvanization and superior design are just some of our advantages.

All products come with a warranty

The warranty assumes that all products are shipped free from manufacturing defects in materials, structure, workmanship or finish. The warranty does not include damage resulting from abuse, negligence, misuse, extreme weather conditions, accidents, shipping damage, fire, flood or any other condition that would not be considered normal use or normal facility application. Any warranty disputes will be at the sole discretion of the manufacturer who reserves the option to replace, repair, or refund if the product is found defective upon inspection. A clear photograph of the defect also may be necessary to support the claim.



2 Years

Limited Warranty

For all Urbanix fitness equipment parts including bearings, hydraulic system, seats and handles against structural failure due to manufacturing defects.



5 Years

Limited Warranty

For Urbanix product line structural integrity, main posts, steel tubes and welding procedure against structural failure due to manufacturing defects.



15 Years

Limited Warranty

For Urbanix products stainless hardware and aluminium components against structural corrosion.





European Outdoor Fitness Standard (EN 16630)

Our products have been **TESTED** by TÜV RHEINLAND and meet EN16630 STANDARD FOR OUTDOOR FITNESS.



European Outdoor Playground Standard (EN 1176)

Our products have been **TESTED** by TÜV RHEINLAND and meet EN16630 STANDARD FOR OUTDOOR FITNESS.



SGS / EN71 / CE

Colours and materials integrated into the product lines have undergone testing and are certified according to EN71 / SGS standards by Dupont and BASF.

Recharge system certified with CE standard.













Color up - According to your taste

MADE EASY

URBANIX - METAL

High quality, durable polyester power coat, withstand of heat, harsh climates, moisture and UV exposure. Skin textures or smooth by application.

Colour options for post and other steel parts



Urbanix - Polyurethane (PU)

Red and Black for Kickbox PU, and Black for the rest PU parts.



URBANIX - HDPE (High density polyethylene)

Resistant to abrasion by chemicals and corrosion. It resists weathering, discolouration and UV rays. Easy to clean and recycle, neither graffiti nor painted adhere to it. It is toxin-free. Thickness from 5mm to 20mm.

© Common colour options for panels (with stock)




Customized colour options for panels (with MOQ)



*design and colors are subject to final engineering and physical color

URBANIX - LLDPE (Linear low-density polyethylene)

Resistant to UV rays, high-strength, textured finish, and good capability of safety and environment-protection.



*design and colors are subject to final engineering and physical color

















Pipe

Carbon steel Q235, thckness 2.5-3mm, fully covered with zinc metallic coating, good performance of anti-rust.

1 - steel, 2 - sandblasting, 3 - zinc spray, 4 - powder paint.



Pipe Cover

Pipe cover for round 114mm pipe made from dual moulded inner steel fixture and external injection molded polyamide cap or CNC routed HDPE / HPL cover.



LLDPE

Linear low-density polyethylene plastic is resistant to UV rays, highstrength, smooth surface, and good capability of safety and environment-protection.



HDPE

High Density Polyethylene board is resistant to abrasion by chemicals and corrosion. It resists weathering, discoloration and UV rays. Easy to clean and recycle. It is toxin-free. Thickness from 5mm to 20mm.



Instruction sign

18cm UV stabilized plastic sign housing which fits perfectly on the main pipe. Virtual Trainer Videos(QR CODE) and clear instructions on each machine.



Handles

High and extra long, soft EPDM/aluinium caps with fire resistant and anti-UV additives.




Hardware

Hardware are 304 stainless steel, anti-theft screws, individually packaged and labeled per component designed speed up installation process and lower vandalisem with S-Torx module.

Coat System Details

Coating system - Rust Protection

Innovative thermal zinc coating allows full and complete coverage. The process leaves the surface with matte finish that requires a textured power coating. Zinc injection has been salt spray tested to meet ASTM B117 and ISO 9227 (48 hours) standard. This is highly recommended for any saline environment like beaches and with saline air up to 5km distance from source. Zinc injection is a standard for the blade line and is a premium service for the core line. Minimum thickness 40-60 micron.



Optional	galvanization	technologies	characteristics

Method	Hot-Dip Galvanizing	Thermal Zn Injection	Electrogalvanizing
Specification	ASTM Al23, A153, A767, CSA G164, ISO 1461	AWS C2.2	ASTM A879
Coating Thickness minimum/ typical	35-75u 1.4-3.9 mils	40-60u 1.6-3.3 mils	3-7u 0.14-0.28 mils
Size	Fasteners to 90' beams	Unlimited	Sheet steel
Cure Time	<1hour	<24 hours	<1 hour
Coverage Consistency	100% and interior; flat surfaces impurities in welding areas	100% exterior. based on operator skill	full coverage on ext surfaces; inconsistent in edges and holes
Bond to Sub-strate Steel	Metallurgical -3,600psi	Mechanical -1,500 psi	Mechanical 300-500 psi
Colour Adhesion	Very low	High	Excellent
Abrasion Resistance/ Hardness	Intermetallic layers 179- 250 DPN	-70 DPN	-70 DPN
Finish/ Appearance	Varies; matte gray, shiny, spangle, or combination	Matte gray, rough	Smooth finish; shiny, unless passivated

Thermal Zinc vs Pre galvanized after 45 days





Coating - Color

DUPONT ALESTA AD Powder coating for architectural use. Made from carboxyl polyester and TIGC. Designed particularly for all the classic requirements of outdoor exposure: rain, fog, UV from sunlight and SO2 containing air. Film thickness: 50 to 70 Micros.



















3F., No.21, Jiantan Rd., Shilin Dist., Taipei City 111, Taiwan (R.O.C.) Phone: +886-2-2888-1498







